

#### P: 405.885.8195 F: 405.218.2535 E: ortho@jtglomsetmd.com www.jtglomsetmd.com

## **Latarjet Protocol**

## Phase I – Active-Assistive (Weeks 0 to 6): Pendulums to warm-up

- Supine to start and progress as tolerated
- Supine External Rotation 0°
- Supine Forward Elevation 0-90°
- No Resisted Internal Rotation

# **Phase II – Active (Weeks 6 to 7):** Pendulums to warm-up. Active ROM with passive stretch to prescribed limits

- Supine to start → Seated Forward Elevation gradually progress to full
- Supine → Seated External Rotation @ 0° (gradually increase to full)
- Begin Active Internal Rotation to Full

## Phase III - Resisted (Weeks 8 to 9):

- Rotator cuff isotonic exercises
- External and Internal Rotation standing forward punch
- Seated rows/shoulder shrugs
- Bear hugs
- Continue ER progression to full by 12 weeks

# **Phase IV – Weight Training (Weeks 10-12):**

- Avoid anterior capsular stress.
- Keep hands in eyesight, not behind head, keep elbows bent, no long lever arms.
- Minimize overhead activities.
- No military press, pull-down behind head, or wide grip bench

### **Return to Activities:**

- Computer: Early weeks
- Golf: 12 weeks (chip and putt only)
- Tennis: 16 weeks (no overhead)
- Throwing Intervals: 16 weeks
- Contact Sports: 6 months